



CERTIFICATE

Survey of 01 December 2023

You have fulfilled the requirements of the External Quality Assessment with the following analysis

HLA Diagnostics 01 - HLA-B27 Determination (440):

Validity 12 months:

Determination of HLA-B27 (R: B5)

(R) analysis is subject to the RiliBÄK

Customer:
10074873
Clinomics Europe Kft.
Molekuláris Genetikai Laboratórium
Dr. Orsolya Bíró
Mihálkovics u. 10.
1094 Budapest

Düsseldorf, 11 December 2023

Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Dr.-Ing. Nils Lachmann
(Adviser)



CERTIFICATE OF PARTICIPATION

Survey of 01 December 2023

You have participated in the External Quality Assessment with the following analysis

HLA Diagnostics 01 - HLA-B27 Determination (440):

Determination of HLA-B27 (R: B5)

(R) analysis is subject to the RiliBÄK

Customer:
10074873
Clinomics Europe Kft.
Molekuláris Genetikai Laboratórium
Dr. Orsolya Bíró
Mihálkovics u. 10.
1094 Budapest

Düsseldorf, 11 December 2023

Prof. Dr. med. Michael Spannagl
(Head of Reference Institution)



Dr.-Ing. Nils Lachmann
(Adviser)

Listing and evaluation of the results

10074873: Clinomics Europe Kft.
 Molekuláris Genetikai Laboratórium
 Dr. Orsolya Bíró

Survey of 01 December 2023

Adviser:

Dr.-Ing. Nils Lachmann
 Charité-Universitätsmedizin Berlin, ZTB-Zentrum
 für Transfusionsmedizin
 und Zelltherapie Berlin gGmbH, Gewebetypisierung
 am Campus Virchow-Klinikum
 Augustenburger Platz 1
 13353 Berlin

Tel.: +49 30 450 665 098
 Fax: +49 30 450 553 918
 Mail: nils.lachmann@charite.de

440

HLA Diagnostics 01 - HLA-B27 Determination

Analyte	Sam- ple	Method	Your specification(s)	Correct specification(s)	TV- Type	Meets criteria
Determination of HLA-B27	1	molecular genetics (PCR)	positive (3)	positive (3)	SV	+
	2		negative (1)	negative (1)	SV	+
	3		positive (3)	positive (3)	SV	+
	4		positive (3)	positive (3)	SV	+
	5		negative (1)	negative (1)	SV	+

Additional information on the evaluation is available for download in the RV-Online system in the column "Report".

Individual summary of results

10074873: Clinomics Europe Kft.
 Molekuláris Genetikai Laboratórium
 Dr. Orsolya Bíró

Survey of 01 December 2023

440

HLA Diagnostics 01 - HLA-B27 Determination

Determination of HLA-B27 (N = 183, Rate of success: 98,4%)

Sample 1

Collective	negative (1)	positive (3)	total
all participant	1	182 •	183

Sample 2

Collective	negative (1)	positive (3)	total
all participant	182 •	1	183

Sample 3

Collective	negative (1)	positive (3)	total
all participant	1	182 •	183

Sample 4

Collective	positive (3)	total
all participant	183 •	183

Sample 5

Collective	negative (1)	positive (3)	total
all participant	182 •	1	183

The point corresponds to the correct result, the horizontal bar corresponds to your specification, the vertical bar corresponds to your collective